

2

2004 AUG 05 10:50 AM

2004 AUG 05 10:50 AM

~~Cof~~

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

)

)

(

)

(

(

1

•

•

.

;

)

1

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

**CERTIFICATE OF CORRECTION
UNDER RULES 322 AND 323**

Sir:

It is respectfully requested that a Certificate of Correction be issued by the Patent and Trademark Office due to errors which appear in the printed patent as a result of Patent and Trademark Office mistakes, and a mistake of a minor character, which was not the fault of the Patent and Trademark Office. A Certificate of Correction form, in duplicate, is enclosed.

Accompanying this letter is a check for \$100.00 to cover the statutory fee for such Certificate of Correction.


08/09/2004 SFELEKE1 00000017 6740893

01 FC:1811

16 AUG 2004

Patentee's undersigned attorney may be reached in our Washington, D.C. office by telephone at (202) 530-1010. All correspondence should continue to be directed to our address given below.

Respectfully submitted,



Attorney for Patentee
Justin J. Oliver
Registration No.: 44,986

FITZPATRICK, CELLA, HARPER & SCINTO
30 Rockefeller Plaza
New York, New York 10112-3800
Facsimile: (212) 218-2200

JJO/tmm

DC_MAIN 172578v1

00684.002932



PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Patent of:)	
	:	Examiner: B. Souw
MASAYUKI TANABE)	
	:	Group Art Unit: 2881
Appl. No.: 09/678,255)	
	:	
Filed: October 3, 2000)	
	:	
For: OPTICAL INSTRUMENT, AND)	
DEVICE MANUFACTURING	:	
METHOD)	
	:	
U.S. Patent No.: 6,740,893 B1)	
	:	
Issued: May 25, 2004)	Date: August 5, 2004

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

CERTIFICATE OF CORRECTION
UNDER RULES 322 AND 323


Sir:

It is respectfully requested that a Certificate of Correction be issued by the Patent and Trademark Office due to errors which appear in the printed patent as a result of Patent and Trademark Office mistakes, and a mistake of a minor character, which was not the fault of the Patent and Trademark Office. A Certificate of Correction form, in duplicate, is enclosed.

Accompanying this letter is a check for \$100.00 to cover the statutory fee for such Certificate of Correction.

Patentee's undersigned attorney may be reached in our Washington, D.C. office by telephone at (202) 530-1010. All correspondence should continue to be directed to our address given below.

Respectfully submitted,



Attorney for Patentee
Justin J. Oliver
Registration No.: 44,986

FITZPATRICK, CELLA, HARPER & SCINTO
30 Rockefeller Plaza
New York, New York 10112-3800
Facsimile: (212) 218-2200

JJO/tmm

DC_MAIN 172578v1

Staple
Here
Only!

PRINTER'S TRIM LINE

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 6,740,893 B1

DATED : May 25, 2004

INVENTOR(S) : MASAYUKI TANABE

Page 1 of 2

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

AT (56) REFERENCES CITED:

In "OTHER PUBLICATIONS," after "Edmund Industrial Optics," "Teh" should read --The--.

COLUMN 4:

Line 65, "flowrate" should read --flow rate--.

COLUMN 7

Line 60, "observe." should read --observed.--.

COLUMN 8:

Line 52, "phtalates" should read --phthalates,--.

MAILING ADDRESS OF SENDER:

FITZPATRICK, CELLA, HARPER & SCINTO
30 Rockefeller Plaza
New York, New York 10112-3800
(212) 218-2100 - Telephone
(212) 218-2200 - Facsimile

PATENT NO. 6,740,893

No. of add'l. copies
@ 30¢ per page



Staple
Here
Only!

PRINTER'S TRIM LINE

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 6,740,893 B1

DATED : May 25, 2004

INVENTOR(S) : MASAYUKI TANABE

Page 2 of 2

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

COLUMN 12:

Line 19, "photo catalyst" should read --photo-catalyst--; and
Line 43, "the exposed" should read --developing the exposed--.

MAILING ADDRESS OF SENDER:

FITZPATRICK, CELLA, HARPER & SCINTO
30 Rockefeller Plaza
New York, New York 10112-3800
(212) 218-2100 - Telephone
(212) 218-2200 - Facsimile

PATENT NO. 6,740,893

No. of add'l. copies
@ 30¢ per page



Staple
Here
Only!

PRINTER'S TRIM LINE

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 6,740,893 B1

DATED : May 25, 2004

INVENTOR(S) : MASAYUKI TANABE

Page 1 of 2

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

AT (56) REFERENCES CITED:

In "OTHER PUBLICATIONS," after "Edmund Industrial Optics," "Teh" should read --The--.

COLUMN 4:

Line 65, "flowrate" should read --flow rate--.

COLUMN 7

Line 60, "observe." should read --observed.--.

COLUMN 8:

Line 52, "phtalates" should read --phthalates,--.

MAILING ADDRESS OF SENDER:

FITZPATRICK, CELLA, HARPER & SCINTO
30 Rockefeller Plaza
New York, New York 10112-3800
(212) 218-2100 - Telephone
(212) 218-2200 - Facsimile

PATENT NO. 6,740,893

No. of add'l. copies
@ 30¢ per page



Staple
Here
Only!

PRINTER'S TRIM LINE

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 6,740,893 B1

DATED : May 25, 2004

INVENTOR(S) : MASAYUKI TANABE

Page 2 of 2

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

COLUMN 12:

Line 19, "photo catalyst" should read --photo-catalyst--; and

Line 43, "the exposed" should read --developing the exposed--.

MAILING ADDRESS OF SENDER:

FITZPATRICK, CELLA, HARPER & SCINTO
30 Rockefeller Plaza
New York, New York 10112-3800
(212) 218-2100 - Telephone
(212) 218-2200 - Facsimile

PATENT NO. 6,740,893

No. of add'l. copies
@ 30¢ per page

